

IEC 61850 Certificate Level A¹

No. C3014775

Issued to:

I.S.A. Altanova Group S.r.l.
Via Prati Bassi, 22 - 21020
Taino (VA) - ITALY

For the server product:

DRTS 66L Testing Relay
Hardware version V1.0D
Firmware Version 2.03
GOOSE Communication v.3.08 Build 3.0.6.19
S/N TECW01DRTS66L

Issued by: CESI S.p.A. – KEMA Labs

The server product has not been shown to be non-conforming to:
IEC 61850 Edition 2 Parts 6, 7-1, 7-2, 7-3, 7-4 and 8-1
Communication networks and systems for power utility automation

The conformance test has been performed according to IEC 61850-10 Edition 2, the UCA International Users Group Edition 2 Server Test Procedures version 2.0.6 with product's protocol, model and technical issue implementation conformance statements: "PICS, MICS, TICS Rev.2 (23/11/2023) and product's extra information for testing: PIXIT Rev.3.2 (12/01/2024) for the IEC 61850 interface in I.S.A. Altanova Group srl instruments of DRTS 66L, 64L, 34L, 33L GOOSE Publisher/Subscriber".

The following IEC 61850 conformance blocks have been tested with a positive result (number of relevant and executed test cases / total number of test):

9a GOOSE Publish (9/13)	13 Time Synchronization (3/7)
9b GOOSE Subscribe (19/21)	

This certificate includes a summary of the test results as carried out at Milano in Italy with SimFlex Client Simulator Edition 2 v.3.20 with test suite version Ed.2 3.18.20231010 and Wireshark v.4.0.10. This document has been issued for information purposes only, and the original paper copy of the CESI S.p.A. - KEMA Labs report: No. **C3014774** will prevail.

The test has been carried out on one single specimen of the product as referred above and submitted to CESI S.p.A. - KEMA Labs by I.S.A. Altanova Group S.r.l.. The manufacturer's production process has not been assessed. This certificate does not imply that CESI S.p.A. - KEMA Labs has certified or approved any product other than the specimen tested.


Milano, 23.01.2024



Alessandro Bertani

Services & Smart Technologies Director

Issued by



Riccardo Maria Seresini

DGL - Senior Engineer

Level A - Independent Test lab with certified ISO 9001 Quality System
UCA International Users Group, P.O. Box 315, Shell Knob, MO 65747, USA

CESI S.p.A.

Address Rubattino 54
I-20134 Milano - Italy
Tel: +39 02 21251
Fax: +39 02 2125440
e-mail: info@cesi.it
www.cesi.it

Share capital € 8.550.000 fully deposited
VAT ID no. and Registered office in Milan IT00793580150
N. R.E.A. 429222



Applicable Test Procedures from the UCA International Users Group Edition 2 Server Test
Procedures version 2.0.6

Conformance Block	Mandatory	Conditional
9a: GOOSE publish	sGop2a, sGop3, sGop4, sGop9, sGop10, sGop11, sGop12	sGop5, sGopN2
9b: GOOSE subscribe	sGos1, sGos2, sGos3, sGos5, sGos6a, sGos7, sGos8, sGos9, sGos10, sGos11, sGos12, sGos23, sGosN1, sGosN2, sGosN3, sGosN4, sGosN5, sGosN6	sGos13
13 Time sync	sTm1, sTm2, sTmN1	

CESI S.p.A.

Address Rubattino 54
I-20134 Milano - Italy
Tel: +39 02 21251
Fax: +39 02 2125440
e-mail: info@cesi.it
www.cesi.it

Share capital € 8.550.000 fully deposited
VAT ID no. and Registered office in Milan IT00793580150
N. R.E.A. 429222

