

# IEC 61850 Certificate - IEC 61850 Certificate #1959

## Prolan ProField IED [Prolan Process Control Co.]

07/08/2021 04:20 PM - Herbert Falk

<b>Status:</b>	Approved	<b>Test Document:</b>	
<b>Priority:</b>	Normal	<b>Certificate Name:</b>	30820134-Consulting 08-1580
<b>61850 Edition:</b>	Edition 1	<b>Certificate Hash:</b>	3CFA187BC88C936ACD5973E634C4C D76D28D0E16F4820CE6856164BE613 70177
<b>61850 Tested Aspects:</b>	Server	<b>Vendor Artifact File Name:</b>	
<b>Company:</b>	Prolan Process Control Co.	<b>Vendor Artifact Hash:</b>	
<b>Address:</b>	H-2011 Budakalasz, Szentendrei ut 1-3 HUNGARY	<b>Umbrella Organization:</b>	Prolan
<b>Product:</b>	Prolan ProField IED	<b>Optional Reservation Test:</b>	No
<b>HW Version:</b>	1.0.0	<b>Serial Number:</b>	
<b>SW Version:</b>	1.0.2	<b>Publisher Legacy Variants:</b>	
<b>Key Words:</b>		<b>Publisher Preferred Rates:</b>	
<b>Test Procedure Version:</b>	1.1	<b>Publisher Preferred Variants:</b>	
<b>IEC 61850 Blocks Certified:</b>	Basic Exchange (B1), Buffered Reporting (B6), Data Sets (B2), Direct Control (12a), Enhanced Direct Control (12c), Enhanced SBO Control (12d), SBO Control (12b), Unbuffered Reporting (B5)	<b>Subscriber Legacy Variants:</b>	
<b>Certificate/Result Reviewer:</b>	rebecca.davenport,kathy.ellis	<b>Subscriber Preferred Variants:</b>	
<b>Approval Date:</b>	07/04/2015	<b>Subscriber Preferred Rates:</b>	
<b>Standards Tested:</b>	61850-6, 61850-7-1, 61850-7-2, 61850-7-3, 61850-7-4, 61850-8-1		
<b>Current Test Lab Name:</b>	DNV Netherlands (A)		

### Description

This certificate and its information was migrated from a previous database

### History

#### #1 - 07/08/2021 04:20 PM - Herbert Falk

- File 08-1580-Prolan\_ProField\_RTU-Certificate.pdf added

#### #2 - 07/30/2021 12:29 PM - Bruce Muschlitz

- Address updated

- Umbrella Organization set to Prolan

### Files

08-1580-Prolan\_ProField\_RTU-Certificate.pdf

422 KB

07/08/2021

Herbert Falk