

# IEC 61850 Certificate - IEC 61850 Certificate #2048

## NEO 3000 FPC 680 [Iskra Sistemi, d.d.]

07/08/2021 04:23 PM - Herbert Falk

<b>Status:</b>	Approved	<b>Test Document:</b>	
<b>Priority:</b>	Normal	<b>Certificate Name:</b>	74100480-MOC/INC 11-1589
<b>61850 Edition:</b>	Edition 1	<b>Certificate Hash:</b>	1DE192EBB95F1D55207DD1CFD1C84 198CE777B4951146A95C880FA6E2017 5837
<b>61850 Tested Aspects:</b>	Server	<b>Vendor Artifact File Name:</b>	
<b>Company:</b>	Iskra Sistemi, d.d.	<b>Vendor Artifact Hash:</b>	
<b>Address:</b>	Stegne 21 Ljubljana 1000 Slovenia	<b>Umbrella Organization:</b>	
<b>Product:</b>	NEO 3000 FPC 680	<b>Optional Reservation Test:</b>	No
<b>HW Version:</b>	FPC 680-F03	<b>Serial Number:</b>	
<b>SW Version:</b>	1.0	<b>Publisher Legacy Variants:</b>	
<b>Key Words:</b>		<b>Publisher Preferred Rates:</b>	
<b>Test Procedure Version:</b>	2.2b	<b>Publisher Preferred Variants:</b>	
<b>IEC 61850 Blocks Certified:</b>	Basic Exchange (B1), Buffered Reporting (B6), Data Set Definition (B2+), Data Sets (B2), Direct Control (12a), Enhanced SBO Control (12d), GOOSE Publish (9a), GOOSE Subscribe (9b), Unbuffered Reporting (B5)	<b>Subscriber Legacy Variants:</b>	
<b>Certificate/Result Reviewer:</b>	rebecca.davenport,kathy.ellis	<b>Subscriber Preferred Variants:</b>	
<b>Approval Date:</b>	07/17/2015	<b>Subscriber Preferred Rates:</b>	
<b>Standards Tested:</b>	61850-6, 61850-7-1, 61850-7-2, 61850-7-3, 61850-7-4, 61850-8-1		
<b>Current Test Lab Name:</b>	DNV Netherlands (A)		
<b>Description</b>			
This certificate and its information was migrated from a previous database			

### History

#1 - 07/08/2021 04:23 PM - Herbert Falk

- File 11-1589\_Iskra\_NEO\_3000\_Certificate.pdf added

### Files

11-1589_Iskra_NEO_3000_Certificate.pdf	422 KB	07/08/2021	Herbert Falk
--	--------	------------	--------------