

# IEC 61850 Certificate - IEC 61850 Certificate #2645

## DW-IPC-10000 - monitoring and diagnosis [Dowoo Digitech]

07/08/2021 04:48 PM - Herbert Falk

<b>Status:</b>	Approved		
<b>Priority:</b>	Normal		
<b>61850 Edition:</b>	Edition 1	<b>Test Document:</b>	
<b>61850 Tested Aspects:</b>	Server	<b>Certificate Name:</b>	17-032619-01-2
<b>Company:</b>	Dowoo Digitech	<b>Certificate Hash:</b>	0EE675501D46495F350C7669825C9B6 581E62BA6888E454E05F3A39B285CF EDA
<b>Address:</b>	A-708, Ssangyong IT Twin Tower, Dunchon-daero, Jungwon-gu, Seongnam-si, Gyeonggi-do, Republic of Korea, 13216	<b>Vendor Artifact File Name:</b>	
<b>Product:</b>	DW-IPC-10000 - monitoring and diagnosis	<b>Vendor Artifact Hash:</b>	
<b>HW Version:</b>		<b>Umbrella Organization:</b>	
<b>SW Version:</b>	1.0	<b>Optional Reservation Test:</b>	No
<b>Key Words:</b>	Comm, Test Tool	<b>Serial Number:</b>	
<b>Test Procedure Version:</b>	3.03	<b>Publisher Legacy Variants:</b>	
<b>IEC 61850 Blocks Certified:</b>	Basic Exchange (B1), Buffered Reporting (B6), Data Sets (B2), Direct Control (12a), Enhanced Direct Control (12c), Enhanced SBO Control (12d), SBO Control (12b), Time Synchronization (B13), Unbuffered Reporting (B5)	<b>Publisher Preferred Rates:</b>	
<b>Certificate/Result Reviewer:</b>	bruce.muschlitz	<b>Publisher Preferred Variants:</b>	
<b>Approval Date:</b>	09/13/2017	<b>Subscriber Legacy Variants:</b>	
<b>Standards Tested:</b>	61850-6, 61850-7-1, 61850-7-2, 61850-7-3, 61850-7-4, 61850-8-1	<b>Subscriber Preferred Variants:</b>	
<b>Current Test Lab Name:</b>	Korea Testing Laboratory (A)	<b>Subscriber Preferred Rates:</b>	
<b>Description</b>			
This certificate and its information was migrated from a previous database			

### History

#1 - 07/08/2021 04:48 PM - Herbert Falk

- File 17-032619-01-2\_DoWoo\_DW-IPC-10000\_Server\_Ed1\_Certification\_KTL.pdf added

### Files

17-032619-01-2_DoWoo_DW-IPC-10000_Server_Ed1_Certification_KTL.pdf	10.7 KB	07/08/2021	Herbert Falk
--	---------	------------	--------------