IEC TC57 WG10 Future Work - WG10 Future Work #5966

Indicate typical SIUnit for every DO with CDC MV would help users + Add a dedicated attribute in NSD files instead of having it in the description ?

09/13/2022 09:04 AM - Vladan Cvejic

Status: New **Start date:** 08/26/2022

Priority: Normal Due date:

Assignee: % Done: 0%

Category: Estimated time: 0.00 hour

Target version:

Source: EDF Standard(s):

TF Unique ID: Needs More No

Information:

WG10 Proposal: Assigned TF: None

Discuss in Upcoming Yes Target edition: Future

Short Proposal:

Description

Meeting:

In IEC61850-7-4, some DO with CDC MV have a SIUnit that is indicated in the description of the DO.

Example: in MMET, DO EnvTmp of CDC MV has the description: "Temperature of environment [°C]."

But a lot do not have any.

It would be interesting for the comprehension of the semantic of the DO, to indicate a SIUnit for every DO with CDC MV (or indicate clearly if it has no unit)

In addition, it could be interesting to add a dedicated attribute for this purpose, in the NSD files, instead of having this information in the description

Proposal descriptions

New TF Units?

Plenary 09-02-2024:

This item will be managed by TF UML.

Related issues:

Copied from IEC 61850 User Feedback Task Force - Improvement #5955: Indicate ... Resolved 08/26/2022 10/25/2022

History

#1 - 09/13/2022 09:04 AM - Vladan Cvejic

- Copied from Improvement #5955: Indicate typical SIUnit for every DO with CDC MV would help users + Add a dedicated attribute in NSD files instead of having it in the description ? added

#2 - 06/21/2023 01:48 AM - Vladan Cvejic

- Tracker changed from WG10FutureWork to WG10 Future Work
- Source deleted (EDF)
- Discuss in Upcoming Meeting deleted (No)

#3 - 06/21/2023 02:09 AM - Vladan Cvejic

- Source set to EDF
- Discuss in Upcoming Meeting set to No
- Needs More Information set to No

#4 - 10/26/2023 02:37 AM - Vladan Cvejic

04/23/2024 1/2

- Target edition set to Not assigned

#5 - 10/26/2023 05:25 AM - Vladan Cvejic

- Discuss in Upcoming Meeting changed from No to Yes
- Proposal descriptions updated
- Target edition changed from Not assigned to Future
- Assigned TF None added

#6 - 02/09/2024 04:02 AM - Vladan Cvejic

- Proposal descriptions updated

04/23/2024 2/2