

WG14 Part 4 Issues - CIM Issues #6196

Facility Kind

12/02/2022 02:29 PM - Jim Horstman

Status:	Review	
Priority:	Normal	
Target version:		
Author/Contact Info:	Jim Horstman	Standard(s):
Base Release:		Version:
Solution to be Applied To:		Clause:
Solution Version:		Sub-Clause:
Solution Applied By:		Paragraph:
Completion Date:	07/03/2023	Table:
CIM Keywords:	61968-Assets	Originally Closed in Version:
Breaking Change:		Origination Date:
Breaking Change Description:		Origination ID:
CIM Impacted Groups:	WG14	Originally Assigned To:
Requestor:	Jim Horstman	
Description The kind attribute in Facility should be defined as the enumeration FacilityKind rather than String. the attribute facilityKindOther should be added to allow for the specification of a kind that is not in the enumerations.		
Proposed Solution The kind attribute in Facility should be defined as the enumeration FacilityKind rather than String. the attribute facilityKindOther should be added to allow for the specification of a kind that is not in the enumerations.		
Decision Part4 model has been updated asproposed.		

History

#1 - 07/03/2023 08:04 AM - Shawn Hu

- Status changed from New to Open
- Completion Date set to 07/03/2023
- Proposed Solution updated
- Decision updated

#2 - 07/03/2023 08:05 AM - Shawn Hu

- Status changed from Open to Review